

THIS IS NOT AN ORDER - THIS IS A REQUEST FOR FAX BIDS ONLY		DELIVERY POINT: DEPT. OF TRANSPORTATION AND DEVELOPMENT TRAFFIC OPERATIONS - WAREHOUSE #45 ATTN: BERNADETTE LAWRENCE 7686 TOM DRIVE, SUITE A-2 BATON ROUGE, LA. 70806	***** FAX QUOTE ***** RETURN BY FAX TO: 225-379-1862 or 225-379-1481 ATTN: CAROLYN HOOVER PHONE: (225)379-1417			
P.R. NO: 237715						
Date of Request Or Date Publishing: 10/29/09						
Date Bid Due: 11/05/09						
Time of Opening: 2:00 pm CT						

STOCK NUMBER	DESCRIPTION	QUANTITY	U.M.	UNIT PRICE	TOTAL AMOUNT	BRAND NAME AND NUMBER
	WIRE, TYPE THHN-THWN, 600 VOLTS, COPPER, STRANDED CONDUCTOR, 500 FT./METAL OR WOOD SPOOL, DOTD REF. 149-000					
13-92-2150	AWG NO. 6, 19 STR., BLACK	5000	LF			
13-92-2155	AWG NO. 6, 19 STR., WHITE	4500	LF			
	CABLE, COPPER CONDUCTOR, SERVICE ENTRANCE, TYPE SE, STYLE U, DOTD SPEC. 149-008, REV. 7/22/2008					
13-92-3483	AWG NO. 2, 7 STRAND 3 COND., 2 INSULATED, (THHN), 1 BARE, OVAL, PVC O/A, 600 VOLTS, MINIMUM 1000 FT./REEL, MAXIMUM 1250 FT./REEL	1000	LF			
	<p>MUST BID IN CORRECT UNIT OF MEASURE SHOWN TO BE CONSIDERED FOR AWARD. QUOTE SUBMITTED IN ANY OTHER UNIT OF MEASURE WILL NOT BE CONSIDERED.</p> <p>----- WILL ACCEPT SPLIT AWARD: YES _____ NO _____ -----</p> <p>TERMS: _____ DELIVERY: _____ -----</p> <p>IN ACCORDANCE WITH LOUISIANA R.S. 39:1595, A PREFERENCE OF 10% MAY BE ALLOWED FOR PRODUCTS MANUFACTURED, PRODUCED, GROWN, ASSEMBLED OR HARVESTED IN LOUISIANA OF EQUAL QUALITY. DO YOU CLAIM THIS 10% PREFERENCE: YES: _____ NO: _____ SPECIFY LOCATION IN LOUISIANA: _____ SPECIFY ITEM NUMBER: _____ NOTE: LOUISIANA VENDORS CLAIMING THIS PREFERENCE SHOULD ALSO CERTIFY THAT 50% OF THEIR WORKFORCE IS COMPRISED OF LOUISIANA RESIDENTS IN ORDER TO BE ENTITLED TO THE 10% PREFERENCE. LOUISIANA VENDORS SHOULD COMPLETE THE FOLLOWING CERTIFICATE: THIS IS TO CERTIFY THAT 50% OF WORKFORCE IS COMPRISED OF LOUISIANA RESIDENTS: YES: _____ NO: _____ (PROOF OF CERTIFICATION MAY BE REQUIRED)</p> <p>----- VENDOR SHALL FURNISH A TEST REPORT FROM THE</p>					

If you need additional information, please call: CAROLYN HOOVER (225)379-1417		SEE ATTACHMENT FOR SPECIAL, CONDITIONS, INSTRUCTIONS AND DEFINITIONS. FAILURE TO COMPLY WITH SAME MAY DISQUALIFY YOUR BID OR QUOTATION	
FIRM:		MAILING ADDRESS:	
BY: (signature)	City:	State:	Zip:
BY: (PRINT OR TYPE NAME)	REMITTANCE TO BE MADE TO ADDRESS OTHER THAN ABOVE:		
PHONE #:	Street/Box _____	City _____	State _____ Zip _____
FED. ID. NUMBER:	Vendor FAX Number: Email Address:		

THIS IS NOT AN ORDER - THIS IS A REQUEST FOR FAX BIDS ONLY		DELIVERY POINT: DEPT. OF TRANSPORTATION AND DEVELOPMENT TRAFFIC OPERATIONS - WAREHOUSE #45 ATTN: BERNADETTE LAWRENCE 7686 TOM DRIVE, SUITE A-2 BATON ROUGE, LA. 70806	***** FAX QUOTE ***** RETURN BY FAX TO: 225-379-1862 or 225-379-1481 ATTN: CAROLYN HOOVER PHONE: (225)379-1417		
P.R. NO: 237715					
Date of Request Or Date Publishing: 10/29/09					
Date Bid Due: 11/05/09					
Time Bid Due: 2:00 pm CT					
Time of Opening: 2:00 pm CT					

STOCK NUMBER	DESCRIPTION	QUANTITY	U.M.	UNIT PRICE	TOTAL AMOUNT	BRAND NAME AND NUMBER
	<p>MANUFACTURER OF THE TEST MADE ON THE CABLE TO SHOW COMPLIANCE WITH SPECIFICATIONS. TEST REPORT MUST ACCOMPANY EACH SHIPMENT MADE AGAINST THE PURCHASE ORDER.</p> <p>-----</p> <p>ALL BIDDERS MUST INDICATE THE MANUFACTURER ON EACH STOCK NUMBER. IF MANUFACTURER IS NOT SHOWN, BID WILL NOT BE CONSIDERED FOR AWARD.</p> <p>-----</p> <p>IN ADDITION, ALL BIDDERS MUST SUBMIT DESCRIPTIVE LITERATURE WITH THEIR BID. LITERATURE MUST SPECIFY NAME OF MANUFACTURER. IF LITERATURE INDICATING NAME OF MANUFACTURER IS NOT SUBMITTED WITH BID, BID WILL NOT BE CONSIDERED FOR AWARD.</p> <p>-----</p> <p>LOW BIDDER MAY BE REQUIRED TO SUBMIT A THREE (3) FOOT SAMPLE OF WIRE FOR EVALUATION PRIOR TO AWARD. LOW BIDDER SHOULD SEND SAMPLE, PROPERLY IDENTIFIED BY STOCK NUMBER, WITHIN TEN DAYS OF NOTIFICATION. IF SAMPLE IS NOT RECEIVED WITHIN TEN DAYS, THE BID MAY NOT BE CONSIDERED FOR AWARD.</p> <p>-----</p> <p>DELIVERIES ACCEPTED MONDAY THRU FRIDAY, 7:00 AM TO 3:30 PM. FOR ALTERNATE DELIVERY TIMES, PLEASE CALL (225)935-0179 OR (225)935-0170.</p> <p>-----</p> <p>A TABULATION FOR THIS PURCHASE REQUISITION WILL BE AVAILABLE AFTER BIDS ARE FORMALLY TABULATED AT THE FOLLOWING WEBSITE: WWW.DOTD.LOUISIANA.GOV, DOING BUSINESS WITH DOTD, PROCUREMENT/VENDOR INFORMATION, BID TABULATIONS</p> <p>-----</p> <p>THIS IS A REQUEST FOR FAX QUOTATION. PLEASE RETURN YOUR BID BY FAX TO: 225-379-1862 OR 225-379-1481 BEFORE THE DATE/TIME SPECIFIED ON BID</p> <p>-----</p>					

If you need additional information, please call: CAROLYN HOOVER (225)379-1417	SEE ATTACHMENT FOR SPECIAL, CONDITIONS, INSTRUCTIONS AND DEFINITIONS. FAILURE TO COMPLY WITH SAME MAY DISQUALIFY YOUR BID OR QUOTATION
FIRM:	MAILING ADDRESS:
BY: (signature)	City: State: Zip:
BY: (PRINT OR TYPE NAME)	REMITTANCE TO BE MADE TO ADDRESS OTHER THAN ABOVE:
PHONE #:	Street/Box _____ City _____ State _____ Zip _____
FED. ID. NUMBER:	Vendor FAX Number: Email Address:

INSTRUCTIONS FOR SUBMITTING FAX BIDS

1. Type or print in ink in blanks provided. Bids submitted in pencil will not be accepted.
2. Any corrections, erasures or other forms of alteration to unit price should be initialed by the bidder.
3. Bid must be as per specification(s) furnished.
4. Bidders must comply with all instructions shown in Invitation to Bid. Failure to comply may result in rejection of bid.
5. Bid should be submitted in unit of measure as requested. Bids submitted in a different unit of measure may not be considered for award.
6. Unit price for each item must not exceed four digits to right of decimal point. Unit price submitted beyond four digits will be rounded off to nearest fourth digit.
7. Give complete information, attach letter if more space is needed.
8. Bids must be quoted on a firm basis for a thirty day period from bid opening date.
9. Bid prices shall include delivery of all items F.O.B. destination unless delivery point indicates otherwise. Bids containing "Payment in Advance" or "C.O.D." may be rejected. Payment is to be made within 30 days after receipt of properly executed invoice or delivery, whichever is later.
10. Bids must be submitted exclusive of all Federal and State Taxes unless specified otherwise in bid form. State Agencies are exempt from all State and Local Sales Taxes.
11. Complete column marked "Total Amount" which is computed by multiplying "Quantity" column by "Unit Price" column.
12. Indicate any discount in blank provided for "Terms". Cash discounts for less than thirty (30) days or less than one percent (1%) will be accepted, but will not be considered in determining low bidder.
13. In blank provided for "Delivery" indicate amount of time needed to complete delivery of entire order.
14. Signature of person completing bid must be submitted on each bid. A typed name without a signature WILL NOT be accepted.
15. Indicate Federal Identification Number or Social Security Number, whichever is applicable.
16. Fax bid to this fax number (225) 379-1862 or (225) 379-1481. Keep a copy of bid for your records. Bidders are hereby advised that the U.S. Postal Service does not make delivery to our physical location.

Bids may be mailed through the U.S. Postal Service to our box at:

**DOTD Procurement Section
P. O. Box 94245, Capitol Station
East Wing EW-200, Headquarters
Baton Rouge, LA 70804-9245**

Bids may be delivered by hand or courier service to our physical location as follows:

**DOTD Procurement Section
East Wing EW-200, Headquarters
1201 Capitol Access Road
Baton Rouge, LA 70802**

Bidder is solely responsible for ensuring that its courier service provider makes inside deliveries to our physical location. The DOTD Procurement Office is not responsible for any delays caused by the bidder's chosen means of bid delivery. Bidder is solely responsible for the timely delivery of its bid. Failure to meet the bid opening date and time shall result in rejection of the bid.

17. Bids must be submitted on D.O.T.D. bid form.
18. Deviations to the Department's Special Conditions and Specifications will not be allowed. Vendor's special conditions and terms which differ from the bid proposal may cause rejection of bid.
19. By signing the bid form, the bidder certifies that this bid is made without collusion or fraud.
20. In accordance with R.S. 39:1594 (Act 121), the person signing the bid must be: A current corporate officer, partnership member or other individual specifically authorized to submit a bid as reflected in the appropriate records on file with the Secretary of State; or An individual authorized to bind the vendor as reflected by an accompanying corporate resolution, certificate or affidavit; or An individual listed on the State of Louisiana Bidder's Application as authorized to execute bids.

Evidence of authority to submit the bid shall be required in accordance with R.S. 38:2212 (A)(1)(c) and/or R.S. 39:1594(C)(2)(d).

By signing the bid, the bidder certifies compliance with the above.

**DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT
WILLIAM D. ANKNER, Ph.D., SECRETARY
CARLA J. PARENT, CPPB
DOTD PROCUREMENT DIRECTOR
STREET ADDRESS: 1201 CAPITOL ACCESS ROAD, EAST WING EW-200
MAILING ADDRESS: P.O. BOX 94245, BATON ROUGE, LA 70804-9245**

SPECIAL INSTRUCTIONS & CONDITIONS

1. **Purpose and Intention:** The purpose and intention of this invitation to bid is to establish a contract between the Department and the successful bidder(s) to furnish supplies, materials, equipment and/or services in accordance with requirements described herein.
2. **Quantities:** No specific quantities are given or guaranteed on Contracts. Only such quantities as are required by the Department during the contractual period will be ordered.
3. **Bid Deadlines:** All Requests for Fax Quotes must be received by **2:00 P.M.** on **Date Bid Due** as shown on bid form. Bids received after **2:00 P.M.** will not be accepted.
4. **Bid Opening:** Bids may be examined within 72 hours after bid opening. Information pertaining to completed files may be secured by visiting the Department during normal working hours. Written bid tabulations will **not** be furnished.
5. **Award:** The Department reserves the right to award items separately, by groups or on overall low bid basis to the lowest responsible and responsive bidder meeting the requirements and criteria set forth in the Invitation to Bid, taking into consideration the best interest of the Department. Award will be made without discrimination on grounds of race, color, or national origin. Minority business enterprises will be afforded full opportunity to submit bids.
6. **Tie Bids:** In state vendors shall be given preferences in the case of tie bids.
7. **Cancellation of Award:** The Department reserves the right to cancel any contract, in accordance with purchasing rules and regulations, for cause, including but not limited to, the following: (1) Failure to deliver within the time specified in the contract; (2) Failure of the product or service to meet specifications, conform to sample quality or to be delivered in good condition; (3) Misrepresentation by the contractor; (4) Fraud, collusion, conspiracy or other unlawful means of obtaining any contract with the State; (5) Conflict of contract provisions with constitutional or statutory provisions of State or Federal Law; (6) Any other breach of contract.

Should the contractor find that due to increase in price or product availability, order cannot be filled, he is to submit to the DOTD Procurement Director a request for cancellation stating the reason for the request.

8. **Rejection of Bid:** The Department of Transportation and Development reserves the right to reject any and/or all bids and waive any informalities.
9. **Taxes:** Effective September 11, 1991, pursuant to Act 1029 of the 1991 regular session of the Legislature, the State and any of its agencies, boards or commissions are **exempt** from the Louisiana state sales/use taxes.
10. **New Products:** Unless specifically called for in the solicitation, all products for purchase must be new, never previously used, and the current model and/or packaging. No remanufactured, demonstrator, used or irregular product will be considered for purchase unless otherwise specified in the solicitation. The manufacturer's standard warranty will apply unless otherwise specified in the solicitation.
11. **Brands:** Unless otherwise specified in the solicitation, any manufacturer's name, trade name, brand name, or catalog number used in the specification is for the purpose of describing the standard of quality, performance, and characteristics desired and is not intended to limit or restrict competition.
12. **Alternate Bids:** If item(s) does not fully comply with specifications (including brand and/or product number), bidder should state in what respect item(s) deviate. Failure to note exceptions on the bid form will not relieve the successful bidder(s) from supplying the actual products requested.
13. **Default of Contractor:** Failure to deliver within the time specified in the bid will constitute a default and may cause cancellation of the contract. Where the Department has determined the contractor to be in default, the State reserves the right to purchase any or all products or services covered by the contract on the open market and to charge the contractor with cost in excess of the contract price. Until such assessed charges have been paid, no subsequent bid from the defaulting contractor will be considered.
14. **Applicable Law:** Bids submitted are subject to provisions of the Laws of the State of Louisiana, including but not limited to DOTD Purchasing Rules and Regulations, Executive Orders, Instructions for Submitting Bids, Special Instructions & Conditions and specifications listed in this request.
15. **Special Accommodation:** Any "Qualified Individual with a Disability" as defined by the Americans with Disabilities Act who has submitted a bid and desires to attend the bid opening, must notify this office in writing no later than seven (7) days prior to the bid opening date of their need for special accommodations. If the request cannot be reasonably provided, the individual will be informed prior to bid opening.
16. **Indemnity:** Contractor agrees, upon receipt of written notice of a claim or action, to defend the claim or action, or take other appropriate measure, to indemnify, and hold harmless, the State, its officers, its agents and its employees from and against all claims and actions for bodily injury, death or property damages caused by the fault of the contractor, its officers, its agents, or its employees. Contractor is obligated to indemnify only to the extent of the fault of the contractor, its officers, its agents, or its employees. However, the contractor shall have no obligations as set forth above with respect to any claim or action from bodily injury, death or property damages arising out of the fault of the State, its officers, its agents or its employees.
17. **Equal Opportunity Clause:** The Department of Transportation and Development and the State of Louisiana is an equal opportunity employer and looks to its contractors, subcontractors, vendors and suppliers to take affirmative action to affect this commitment in its operations. By submitting and signing this bid, bidder certifies that he agrees to abide by the requirements of the following as applicable: Title VI and VII of the Civil Rights Act of 1964, as amended by the Equal Opportunity Act of 1972, Federal Executive Order 11246, Federal Rehabilitation Act of 1973, as amended, the Veteran's Readjustment Assistance Act of 1974, Title IX of the Education Amendments of 1972, The Age Act of 1975, and bidder agrees to abide by the requirements of the Americans with Disabilities Act of 1990. Bidder agrees not to discriminate in its employment practices and will render services under any contract entered into as a result of this solicitation without regard to race, color, religion, sex, national origin, veteran status, political affiliation, or disabilities. Any act of discrimination committed by bidder, or failure to comply with these statutory obligations when applicable shall be grounds for termination of any contract entered into as a result of this proposal. Bidder agrees to keep informed of and comply with all Federal, State, and local laws, ordinances and regulations which affect his employees or prospective employees.

FEDERAL CLAUSES

CIVIL RIGHTS

Both parties shall abide by the requirements of Title VII of the Civil Rights Act of 1964, and shall not discriminate against employees or applicants due to color, race, religion, sex, handicap or national origin. Furthermore, both parties shall take affirmative action pursuant to Executive Order #11246 and the National Vocational Rehabilitation Act of 1973 to provide for positive posture in employing and upgrading persons without regard to race, color, religion, sex, handicap or national origin, and shall take affirmative action as provided in the Vietnam Era Veteran's Readjustment Act of 1974. Both parties shall also abide by the requirements of Title VI of the Civil Rights Act of 1964 and the Vocational Rehabilitation Act of 1973 to ensure that all services are delivered without discrimination due to race, color, national origin or handicap.

ANTI-KICKBACK CLAUSE

The contractor hereby agrees to adhere to the mandate dictated by the Copeland "Anti-Kickback" Act which provides that each contractor or subgrantee shall be prohibited from inducing, by any means, any person employed in the completion of work, to give up any part of the compensation to which he is otherwise entitled.

CLEAN AIR ACT

The contractor hereby agrees to adhere to the provisions which require compliance with all applicable standards, orders or requirements issued under Section 306 of the Clean Air Act which prohibits the use under non-exempt contracts, grants or loans of facilities included on the EPA list of violating facilities.

CLEAN WATER ACT

The contractor hereby agrees to adhere to the provisions which require compliance with all applicable standards, orders, or requirements issued under Section 508 of the Clean Water Act which prohibits the use under non-exempt federal contracts, grants or loans of facilities included on the EPA list of violating facilities.

ANTI-LOBBYING AND DEBARMENT ACT

The contractor will be expected to comply with federal statutes required in the Anti-Lobbying Act and the Debarment Act.

(Rev. 09-25-09)

Stock Number
See Below

DOTD Spec. 149-008
Rev. 7/22/2008
3 Pages

**LOUISIANA
DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT
SPECIFICATIONS**

CABLE, COPPER CONDUCTOR

13-92-3480

Cable, service entrance, AWG No. 8, 7 strand, 3 conductor, 2 conductors insulated (THHN), 1 conductor bare, Type SE, copper, Style U, 600 volts, oval shape, PVC jacket overall, one continuous piece, minimum 1000 foot/maximum 1250 foot non-returnable reel. One of the black insulated conductors shall have a red tracer on the black insulation.

13-92-3483

Cable, service entrance, AWG No. 2, 7 strand, 3 conductor, 2 conductors insulated (THHN), 1 conductor bare, Type SE, copper, Style U, 600 volts, oval shape, PVC jacket overall, one continuous piece, minimum 1000 foot/maximum 1250 foot non-returnable reel.

13-92-3620

Cable, traffic signal and control, AWG No. 14, 6 conductor, stranded conductor, 600 volts, filler material, when used, shall be non-metallic, moisture resistant, non-hygroscopic, non-wicking and non-absorbent when tested either as a part of the cable or if taken by itself as a whole or in parts, all material, color coding and testing shall conform to I. M. S. A. Specification 20-1, 1997, conductors that are to be marked with tracer in addition to the solid color shall have the tracer as part of the insulation, ink marking not acceptable, outside jacket shall be smooth and shall not display patterns of the conductor lay on the outside of jacket, manufacturer identification shall be clear and very easily read, incomplete letter of names and dates will not be accepted, minimum length of wire per reel shall be 2,000 feet, maximum 3,000 feet, reel or container shall be clearly marked with quantity and purchase order number, furnished on non-returnable reels, the dimension of reel shall be: diameter (maximum) 3 feet, width 28 inches, hub hole (minimum) 3 inches, certified report of the test results shall be supplied with each order, cable on each reel shall be one continuous length without any splices, report shall detail the exact test run and shall document the test results of Paragraph 12.2(A), (B) and (C).

13-92-3630

Cable, traffic signal and control, AWG No. 14, 10 conductor, stranded conductor, 600 volts, filler material, when used, shall be non-metallic, moisture resistant, non-hygroscopic, non-wicking and non-absorbent when tested either as a part of the cable or if taken by itself as a whole or in parts, all material, color coding and testing shall

conform to I. M. S. A. Specification 20-1, 1997, conductors that are to be marked with tracer in addition to the solid color shall have the tracer as part of the insulation, ink marking not acceptable, outside jacket shall be smooth and shall not display patterns of the conductor lay on the outside of jacket, manufacturer identification shall be clear and very easily read, incomplete letter of names and dates will not be accepted, minimum length of wire per reel shall be 2,000 feet, maximum 3,000 feet, reel or container shall be clearly marked with quantity and purchase order number, furnished on non-returnable reels, the dimension of reel shall be: diameter (maximum) 3 feet, width 28 inches, hub hole (minimum) 3 inches, certified report of the test results shall be supplied with each order, cable on each reel shall be one continuous length without any splices, report shall detail the exact test run and shall document the test results of Paragraph 12.2(A), (B) and (C).

13-92-3650

Cable, traffic signal and control, AWG No. 12, 4 conductor, stranded conductor, 600 volts, filler material, when used, shall be non-metallic, moisture resistant, non-hygroscopic, non-wicking and non-absorbent when tested either as a part of the cable or if taken by itself as a whole or in parts, all material, color coding and testing shall conform to I. M. S. A. Specification 20-1, 1997, conductors that are to be marked with tracer in addition to the solid color shall have the tracer as part of the insulation, ink marking not acceptable, outside jacket shall be smooth and shall not display patterns of the conductor lay on the outside of jacket, manufacturer identification shall be clear and very easily read, incomplete letter of names and dates will not be accepted, minimum length of wire per reel shall be 2,000 feet, maximum 3,000 feet, reel or container shall be clearly marked with quantity and purchase order number, furnished on non-returnable reels, the dimension of reel shall be: diameter (maximum) 3 feet, width 28 inches, hub hole (minimum) 3 inches, certified report of the test results shall be supplied with each order, cable on each reel shall be one continuous length without any splices, report shall detail the exact test run and shall document the test results of Paragraph 12.2(A), (B) and (C).

13-92-3660

Cable, traffic signal and control, AWG No. 12, 7 conductor, stranded conductor, 600 volts, filler material, when used, shall be non-metallic, moisture resistant, non-hygroscopic, non-wicking and non-absorbent when tested either as a part of the cable or if taken by itself as a whole or in parts, all material, color coding and testing shall conform to I. M. S. A. Specification 20-1, 1997, conductors that are to be marked with tracer in addition to the solid color shall have the tracer as part of the insulation, ink marking not acceptable, outside jacket shall be smooth and shall not display patterns of the conductor lay on the outside of jacket, manufacturer identification shall be clear and very easily read, incomplete letter of names and dates will not be accepted, minimum length of wire per reel shall be 2,000 feet, maximum 3,000 feet, reel or container shall be clearly marked with quantity and purchase order number, furnished on non-returnable reels, the dimension of reel shall be: diameter (maximum) 3 feet, width 28 inches, hub hole (minimum) 3 inches, certified report of the test results shall be supplied with each order, cable on each reel shall be one continuous length without any splices, report shall

detail the exact test run and shall document the test results of Paragraph 12.2(A), (B) and (C).

13-92-3670

Cable, traffic signal and control, AWG No. 19, 6 pair, stranded conductor, 600 volts, filler material, when used, shall be non-metallic, moisture resistant, non-hygroscopic, non-wicking and non-absorbent when tested either as a part of the cable or if taken by itself as a whole or in parts, all material, color coding and testing shall conform to I. M. S. A. Specification 20-2, 1997, conductors that are to be marked with tracer in addition to the solid color shall have the tracer as part of the insulation, ink marking not acceptable, outside jacket shall be smooth and shall not display patterns of the conductor lay on the outside of jacket, manufacturer identification shall be clear and very easily read, incomplete letter of names and dates will not be accepted, minimum length of wire per reel shall be 5,000 feet, maximum 6,000 feet, reel or container shall be clearly marked with quantity and purchase order number, furnished on non-returnable reels, the dimension of reel shall be : diameter (maximum) 53 inches, width (maximum) 36 inches, hub hole (minimum) 3 inches, certified report of the test results shall be supplied with each order, cable on each reel shall be one continuous length without any splices, report shall detail the exact test run and shall document the test results of Paragraph 14.2(A), (B) and (C).